

- 33 Lar-pike - Ground of F.W. in N. America
- 34 another letter on insects F.W. in F.W.
- 36 on larvae, becoming like embryos.
- 156 on analogy of west of N. America &  
miocene of Europe
- 175 List of F.W. Plants of Lake Superior in  
Doubt whether any use
- ~~187~~ 193 on ant. & post. chemistries of the Bot.  
being alike at early age - so in Boob
- 195 on relation of embryology to geology succession.
- 198 on other in Cephalopods - Nautilus samples
- 239 - on embryology of ~~N. America~~ L. Superior -  
No American forms - a common Fauna  
with Europe & Asia - species different  
but most close (men. King though I can)  
admit identity in Arctic, & most close  
envelopes in L. Superior.
- 240 on greater range of aquatic Beetles.
- 247 F. water animals under similar latitudes  
as uniform as vegetation



(5)



252 on embryonic forms, <sup>fish</sup> not becoming a  
separate class.

(2)

255 Genera in F. W.

257. on impossibility of making groups of  
equal value

260 Rhythmic character of genera, "entailing  
prospective view of another class"

265 on Families intermediate in character  
& in space or position.

285. Excellent case of Percipis of Chalk, which  
combined character, which soon diverged,  
intermediate between Clavoids & Cycloids.

289. Hardy on Family in which some species are  
not both marine & F. W.

292 - case of variability in a Paul, good as follows

~~317. Isox focuses in male history of Gypsinis~~

327. account for uniformity of Salmonidae  
of uniformity of connection

352 Range of Gypsinoids 1363

374 on F. W. Fish of N. America distinct



375. On F. W. Fish being androgynous with those of  
Europe & Asia.

(3)

377 on shoals created as shoals



5



f. 13.

p. 34

36

d. 141

h. 142

h. 150

f. 154

d. 185

h. 192

to

200

f. 239

h. 240

f. 241

f. 246

f. 252

h. 255 to

377

398



5





400 Sketches